

V768

BNC Rack-mount Termination Panel

The Model V768 Termination Panel provides a convenient field termination method for module I/O signals.

Arranged for 19-inch relay rack mounting, the panel permits termination of 32 I/O channels.

APPLICATIONS

Field wiring terminations
Module I/O termination
General-purpose patch panel

A termination panel with BNC terminations

FEATURES

- 32 channels of I/O terminations
- 19-inch rack mounting
- BNC connections to field wiring



GENERAL DESCRIPTION

The Model V768 Termination Panel provides a convenient field termination method for module I/O signals. Arranged for 19-inch relay rack mounting, the panel permits termination of 32 I/O channels. It is 2U high and therefore occupies only 8.9 centimeters (3 1/2 inches) of rack height.

The V768 includes 32 ground-isolated BNC bulkhead connectors to receive field wiring and two 50-position ribbon plug connectors for module connections. The 32 BNC connectors are divided into two groups of 16 channels each. BNC channels 1-16, are connected to one ribbon cable connector, and BNC channels 17-32 are connected to the second 50-position ribbon connector. These connectors mate with a 5950-ZIB ribbon cable connectors or with 5855-Bxyz cables for connection to a V215 32-channel ADC module. The 5855-Bxyz cable contains a 50S ribbon connector at one end and a 50P AMP connector at the other end. The 5855-B20J 2-meter cable is standard. Other lengths are available. Two cables are required per V215.

Each of the V215 input channels is a differential pair. The + input conductor is connected to the center contact of a BNC connector, while the - input is connected to the shell of the BNC connector. To minimize common-mode noise, a good ground connection should exist between the signal source and the CAMAC crate.

RELATED PRODUCTS

- Model 5950-Z1B 50-contact Ribbon Connector
(two required for 32 channels)
- Model 5855-B20J Cable Assemblies (two required for
32-channel application with Model V215)

ORDERING INFORMATION

MODEL	DESCRIPTION
768-ZA11	32-channel BNC Termination Panel

Updated October 24, 2005

Copyright © 2005 KineticSystems Company, LLC. All rights reserved.

KineticSystems Company, LLC

900 N. State St.
Lockport, IL 60441-2200

Toll-Free (US and Canada):

phone 1-800-DATA NOW
1-800-328-2669

Direct:

phone +1-815-838-0005
fax +1-815-838-4424

Email:

mkt-info@kscorp.com

To find your local sales representative or distributor or to learn more about KineticSystems' products visit:

www.kscorp.com